

LIVE OUTSIDE.®

We are more than **craftsmen** of pavers and walls. We make an enjoyable outdoor living experience for you and your family possible.

Our mantra at NewLine is "Live Outside." Our goal is to help you create an outdoor experience so perfect you won't want to go back inside.

We invite you to journey through these pages and preview the possibilities of what living outside with NewLine Hardscapes can be.

Our friendly dealer showrooms are ready to meet with you to **explore your dreams**. You can find the dealer closest to you by visiting us at www.newlinehardscapes.com.

Welcome home... to living outside.

FOLLOW US









Inside...

paver collection

Veranda [™] and Veranda XL [™]	6-7
Chateau [™] and Chateau XL [™]	8-9
Village Cobble [™]	10-11
Provence Cobble [™]	12-13
Holland Stone [™]	14-15
Coping [™]	16-17
Breton [™] (permeable)	18-19
Westminster [™] (permeable)	20
Turfstone [™] (permeable)	21





porcelain tile collection

Bluestone & Flagstone	24-25
18" x 36" Tiles	26-27
24" x 24" Tiles	28-29
12" x 48" Planks	30-31

rosetta collection

Outcropping [™] Wall	34-35
Belvedere [™] Wall	36-37
Kodah [™] Wall	38-39
Dimensional Wall [™]	40-41
Coping & Caps	42-43
Dimensional Flagstone [™]	44-45
Grand Flagstone [™]	46-47
Dimensional Step [™]	48
Irregular Step [™]	49
Superior Steppers [™]	50
Rosetta Fire Pits	51



wall collection



4-Inch High:

Ashland™ 54 Yorkshire™ 55

6-Inch High

Stonegate® 56-57 58-59 Stonegate® Contemporary Napa® 60-61 $\mathsf{Sonoma}^{\scriptscriptstyle\mathsf{TM}}$ 62-63 StoneLedge™ 64-65 Regal Stone® 66 Regal Stone® RockFace 67

8-Inch+ High:

Regal Stone Pro® 70 71 Regal Stone Pro® RockFace Compac[®] 72 Compac® Contemporary 73 Cornerstone® 100 74-75 MagnumStone™ 76

trim & finishing collection

Rock Face Caps, Steps, Treads 76-77 Napa® Curbstone 78 EdgeStone™ 79 Fire Pits 80-81 Landscape Lighting 82-83





installation accessories

Installation Accessories

specifications, care & warranty


Product Specifications Matrix 86-90 Warranty and Care Information 91





pavers

Veranda [™] and Veranda XL [™]	6-7
Chateau $^{\tiny{M}}$ and Chateau XL $^{\tiny{M}}$	8-9
Village Cobble [™]	10-11
Provence Cobble [™]	12-13
Holland Stone [™]	14-15
Coping [™]	16-17
Breton [™] (permeable)	18-19
Westminster [™] (permeable)	20
Turfstone [™] (permeable)	21






Veranda[™] and Veranda XL[™]

Designed as an oversized, three-piece slab system, Veranda smoothfaced pavers deliver a sleek, modern style and sophistication. Install as a stand-alone three-piece system or combine with the Veranda XL series to create a six-piece paving system.








Veranda XL (Bundled)

Veranda XL not recommended for vehicular applications. (XL available in Coastal Tan and Mountain Ridge only.)









4x8x23/8

fieldstone







mesquite

mountain ridge



Chateau[™] and Chateau XL[™]

A more casual, oversized, three-piece slab system, Chateau uses rectilinear shapes, slate-textured surfaces and rounded edges to recall the timeless appeal of weathered cut flagstone. Install as a stand-alone three-piece system or combine with the Chateau XL series to create a six-piece paving system.







Village Cobble[™]

Our classic, most popular paver features a textured finish with rounded edges. Each size is sold separately, allowing you to mix and match sizes to meet your specific design needs.







Each size sold separately.











ACCENT COLORS (6x9 UNITS ONLY)



charcoal



mocha



Provence Cobble[™]

Reminiscent of lingering outside on warm summers in southern France, Provence Cobble features a flat, antiqued finish with an old-world feel. The system is available in two different sizes (each sold separately), allowing you to customize your look.



Each size sold separately.





Holland Stone[™]

The design flexibility, simple rectangular shape, and ease of installation make Holland Stone a favorite for homeowners. Holland Stone is often used as an accent or border course with other NewLine pavers.









CopingTM

Our Coping unit provides a smooth, soft roll to the edge of your patio or step application. Coping can be used for applications such as swimming pools, deck overhangs, step treads, seating areas and wall caps.

















$Breton^{TM}$

Breton **permeable pavers** provide the appearance of an old granite paver that has been in the ground for centuries. This three-piece system is crafted with a natural, stone-cleft finish.

Enlarged lugs on the sidewalls of the units create quarter-inch joints which, when filled with a properly-sized aggregate, drain water to the permeable base. This infiltration filters stormwater and recharges groundwater sources, creating a sustainable pavement option.







granite



WestminsterTM

Westminster is a traditional-looking permeable paver that is both visually attractive and pedestrian friendly. This system is designed to meet or exceed current stormwater management requirements. Its rectangular shape and structurallysound herringbone pattern make it suitable for vehicular applications.







20 newlinehardscapes.com



TurfstoneTM

A rectangular, permeable slab with open grids that allow water to pass through the system. Turfstone can be used for overflow parking, erosion control and parking lots where permeable paving is required. The open voids can be filled with drainage aggregate for maximum infiltration or soil to allow greenery to grow.





pewter

DISCOVER THE BENEFITS OF Porcelain.



The structure and texture of the porcelain paver surface reduces the risk of slipperiness.



RESISTANT TO THERMAL SHOCK

Landmark's porcelain pavers are baked at temperatures up to 2300 degrees F which in turn generates a strong molecular bond, producing a very dense paver. Due to its density level, it becomes inert, allowing for extreme and sudden temperature changes within the temperature range of - 60 F +140 F.



FASY TO REPLACE AND REMOVE

When not mortared or installed with adhesive, Landmark's Frontier20 can be easily removed and repositioned to suit your specific needs.



Landmark's Frontier20 porcelain pavers are virtually non-porous. Due to our specific baked-on glazing process, nothing can be absorbed-- including stains.



FASY TO KFFP CLEAN

Mild, environmentally-friendly detergents can be used when cleaning your porcelain pavers. Pressure washers up to 1500 PSI may also be used without concern for etching or striping.



NO SEALING NEEDED

No sealers are needed because Landmark Frontier20 is so dense, virtually nothing can stick to it!



FCO-FRIENDLY

Landmark Frontier20 porcelain pavers are produced in an environmentally-friendly facility, following the strictest state and federal regulations. Because of Landmark's environmental commitment, we can incorporate up to 20% recycled content in our USAmade porcelain pavers.



RESISTANT TO MOLD

Landmark Frontier20 is so dense that mold and mildew are not able to develop in a permanent fashion, making removal very easy and simple.



SCRATCH & FADE RESISTANT

Landmark Frontier20 porcelain pavers are an extremely hard surface, making them virtually scratch proof. And the baked on graphics are created using ingredients that are completely unaffected by the sun and elements.



DRIVEWAYS ARE OK

When properly installed over concrete*, Landmark Frontier20 porcelain pavers are suitable for light residential vehicular traffic.

* When installed over reinforced concrete (4" minimum) using a thinset mortar suitable for porcelain paver.



RESISTANT TO ACID & CHEMICALS

Made with inert ingredients that do not react or accept acids and or chemicals, allowing you to make environmentally friendly cleaning decisions!



RESISTANT TO SALTS

Landmark Frontier20 porcelain pavers are completly unaffected by use of salts.





Low maintenance costs save big dollars year after year.



FROST RESISTANT

Landmark Frontier20 porcelain pavers are so dense that frost and freezing temperatures do not affect them.

porcelain tile



Bluestone & Flagstone	24-25
18 x 36 Tile	26-27
24 x 24 Tile	28-29
12 x 48 Plank	30-31



Bluestone & Flagstone (3-Piece System)

These multi-sized tiles are perfect for hassle-free living on your patio. Because porcelain is so dense, it naturally repels stains such as acorns, wine and grill grease. Just a simple powerwash, and it's gone! Our three-piece system comes in a native Pennsylvania bluestone or pink-tan flagstone.





Each size sold separately.



bluestone full color



flagstone pink-tan



18" x 36" Tile

These oversized tiles provide a sophisticated, contemporary look to your patio space. Stocked in our source beige color, the warm tan and grey tones match most any decor, and lend a dramatic touch to any project.







source beige



24" x 24" Tile


The timeless look of 24" x 24" tiles is unbeatable. For those spaces that need extra impact, these large units provide a commanding presence, and a clean aesthetic.







limestone







multi-color dark travertine cream



12" x 48" Plank

Want the look of hardwood planks for your decking, but not the hassle of wood maintenance? Look no further than our long 12" x 48" porcelain plank system. Easy to install, and breathtakingly beautiful, it elevates any space for a premium appearance.











soul walnut





rosetta

Outcropping [™] Wall	34-35
Belvedere [™] Wall	36-37
Kodah [™] Wall	38-39
Dimensional Wall™	40-41
Coping & Caps	42-43
Dimensional Flagstone™	44-45
Grand Flagstone [™]	46-47
Dimensional Step [™]	48
Irregular Step™	49
Superior Steppers [™]	50
Rosetta Fire Pits	51



$Outcropping^{^{\text{\tiny TM}}}$

The large dimensions of the Outcropping units allow you to create grand structural walls in a scale that is both believable and inspiring. Designed with 12 unique unit sizes and 24 unique stone textures to create the most natural appearance possible.











Belvedere[™] Wall

Our most popular Rosetta system, Belvedere gives your project the look of real natural stone because it is formed using molds from natural stone. An easy to install, 6-piece system, it provides a more rustic appearance to your space.





6-Inch-High Corner



Consider a matching fire pit for your Belvedere wall project. For more info, see page 51.








saddle



Kodah[™] Wall

The four different sizes of the Kodah wall provides a believable chiseled limestone wall for your project. The natural cleft texture gives the wall rugged good looks. Kodah be used for retaining walls, freestanding walls, and seating walls too!







6x10¹/₂x42





6x10½x21 Corner



Dimensional Wall™

Perfect for the do-it-yourselfer, Dimensional Wall is a simple system that is lightweight and installs quickly. Great for smaller walls, tree rings and seating areas, the natural stone texture gives this system the look of real stone in a smaller scale.



4x8x12 Straight Unit



4x8x12 (F) 4x8x7½ (B) Wedge Unit



Consider a matching fire pit for your Dimensional Wall™ project. For more info, see page 51.



canyon





Coping and Caps

Capping a wall or column does more than make a project look finished. It ties all of the system elements together, and makes a project appear more professional. Our two coping/cap lines – Belvedere and Dimensional – offer a number of options to complete your project.

BELVEDERE™ COPING



21/4x101/4x6 Coping



21/4x101/4x12 Coping



21/4x101/4x18 Coping



21/4x101/4x18 Coping-Left End



21/4x101/4x18 Coping-Right End

BELVEDERE™ CAPS



Column Cap



Caps sold separately.

DIMENSIONAL™ COPING

5 different units; all on one pallet.



21/4x121/2x18 Coping



21/4x101/4x24 Coping

3 different units; all on one pallet.



21/4x121/2x19 Finished-End Coping

DIMENSIONAL™ CAPS



2½x24x24 Column Cap

Caps sold separately.



ash



canyon



saddle



Dimensional Flagstone[™]


Dimensional Flagstone is the perfect choice for graceful walkways, pool decks and elegant patios that require consistent dimensions and a more formal, sophisticated look. All shapes are available on every pallet layer, making installation quick and easy.






TRI-RESISTENT

There's no jagged edges or uneven seams with the consistent 2-inch (51-millimeter) thickness of Dimensional Flagstone. That means less tripping hazards for toddlers to retirees than with natural stone.











$Grand\ Flagstone^{^{\text{\tiny TM}}}$

Give your patio a less rigid appearance with Grand Flagstone. Perfect for patios, pathways, pool decks, outdoor kitchens and more. Grand Flagstone slabs maintain the attractive texture and scale of large natural flagstones, but can be laid in an easy-to-install pattern











Each layer is comprised of multiple random 1¾" thick shapes. Four different 4-piece patterns. All layers on one pallet.









Dimensional Step[™]

The Dimensional Step is ideal for more formal, linear settings, providing you with the rugged beauty of natural stone, while combining it with the comfort and safety of a uniform rise.









ash

saddle



Irregular Step[™]

The Irregular Step is perfect for free-flowing, natural staircases, providing you with the rugged attractiveness of natural stone and combining it with the safety and comfort of a uniform rise.



ash



canyon









7"H x 2'D x 5'L

7"H x 2'4"D x 4'L

7"H x 2'2"D x 3½'L



Superior Steppers $^{\text{\tiny TM}}$

Lay a charming garden walkway or casual path to gently guide your way. These natural-looking stones are crafted with high-strength, quality materials for a pathway that will look like it's been in place for ages.





- Unit dimensions vary by shape; roughly 27" x 21"
- 2x each or 8 different shapes







.



Rosetta Fire Pits












4-Inch High: $\mathsf{Ashland}^{\scriptscriptstyle\mathsf{TM}}$ 54 Yorkshire™ 55 6-Inch High: Stonegate[®] 56-57 Stonegate® Contemporary 58-59 Napa® 60-61 $\mathsf{Sonoma}^{\scriptscriptstyle\mathsf{TM}}$ 62-63 $StoneLedge^{^{\text{\tiny TM}}}$ 64-65 Regal Stone® 66 Regal Stone® RockFace 67 8-Inch+ High: Regal Stone Pro® 70 Regal Stone Pro® RockFace 71 Compac® 72 Compac[®] Contemporary 73 Cornerstone® 100 74-75

 $MagnumStone^{TM}$

76



$Ashland^{^{\text{\tiny TM}}}$

Ashland is a lightweight, double-sided unit that is tumbled and tapered, making it ideal for applications such as tree rings, planter beds and fire pits. This wall can be paired nicely with the Yorkshire wall to create an ideal outdoor living space.





Consider a matching fire pit for your Ashland wall project. For more info, see page 81.









fieldstone granite

mesquite



Yorkshire[™]

Yorkshire is a tumbled, single-piece wall system that is perfect for garden and seating wall applications. Because of the unit's symmetry, it can be turned in different directions to create a unique look. It's also great for building fire pits, outdoor kitchens, fireplaces and more.



fieldstone





Consider a matching fire pit for your Yorkshire wall project. For more info, see page 81.





4x12x8



Stonegate[®]


Featuring the look of weathered cut-stone you might find in a quaint European town, Stonegate has a more refined look than split face wall units. Utilizing a pinned connection method, two different heights and six different shapes, Stonegate is suitable for retaining and freestanding wall projects.





Stonegate® Contemporary

The smooth, uniform face and finished edges of Stonegate Contemporary create a modern, sleek look. Stonegate Contemporary is also great for parapet walls, pilasters, columns, stairs and outdoor living elements such as kitchens, fireplaces, fire pits, benches and more. Like traditional Stonegate, Stonegate Contemporary features six different units, which simplifies the creation of random patterns and assure stunning results.



Color swatches are for reference. Please refer to actual samples for proper color matching.



Napa®


The Napa double-sided wall is a beautiful way to frame your patio with seating walls, border a walkway or build a retaining wall. With a soft, weather-worn look, this six-piece system, available in two different heights, provides endless design options.





$Sonoma^{^{\text{TM}}}$

Sonoma walls are based on the same unit system as our popular Napa wall; however, Sonoma is untumbled, giving it a crisp, contemporary profile. A great choice for homeowners who desire a less weathered and more structured appearance.





fieldstone







StoneLedge[™]

StoneLedge features a double-sided, multi-sized, tapered wall system that possesses the hand-finished look of guarried stone. Ideal for residential or commercial wall projects. The flexibility, quarried face and endless random patterns make StoneLedge an excellent choice.







3x11½x15 rectangle cap













Regal Stone®

A great choice when your project calls for classic, clean lines. The straight face style provides an attractive retaining wall for residential or commercial applications.



6x16x12

step













Regal Stone® Rock Face

With its more weather-worn appearance, Regal Stone RockFace offers a natural look. Based on the original Regal Stone unit, it provides the same benefits, simplicity, and flexibility.













fieldstone

3x15x13 universal cap

6x16x12 step

6x16x12



Regal Stone Pro®

Featuring one square foot of wall space per unit, Regal Stone Pro is a great choice for taller walls. The straight face finish provides a clean appearance, and a rear-lip alignment system means no pins or clips are necessary.















Color swatches are for reference. Please refer to actual samples for proper color matching.



Regal Stone Pro® RockFace

Regal Stone Pro RockFace offers a softer, more rough-hewn finish to the original Regal Stone Pro.



fieldstone











Color swatches are for reference. Please refer to actual samples for proper color matching.



$Compac^{\tiny{(\!\!R\!\!)}}$

Great for taller walls, Compac is a straight face, square foot unit, featuring a pinned connection system for alignment.













fieldstone





8x18x12 corner rectangle cap

granite

mesquite (special order)



Compac ® Contemporary

Featuring the same benefits as our standard Compac wall system, this contemporary unit utilizes a smooth face finish to deliver a fresh, new, linear appearance.




Compac walls use straight pins to ensure proper wall alignment. Pins sold separately.



coastal tan

fieldstone









3x12x12 square cap

8x18x9 corner

8x18x12



CornerStone® 100

CornerStone 100 offers the perfect combination of strength and beauty, and is ideal for everything from residential landscaping to large commercial projects. Each unit features a single, large, hollow-core SecureLug® connection and tapered sides, allowing for durability, flexibility and easy installation.







8x18x9 corner



4x18x12 rectangle cap



coastal tan



fieldstone



granite



mesquite (special order)



$MagnumStone^{\text{\tiny (R)}}$


MagnumStone is a large block (24x48) retaining wall system that is especially effective when used where space is limited behind the wall (unable to excavate for geogrid, due to site constraints).

Stocked in our natural color, the units can be field-tinted to provide a more realistic stone coloring. Please visit the York Building Products website for more details on unit shapes, sizing and technical specifications. www.yorkbuilding.com



half-high unit












(stocked)

canyon saddle

trim & finishing

Rock Face Caps, Steps, freads	/6-//
Napa Curbstone	78
EdgeStone	79
Fire Pits	80-81
Landscape Lighting	82-83
Installation Accessories	84



Rock Face Caps, Steps and Treads

It's the little things that matter. Finishing off a great patio with caps, steps and stair treads makes a project look more professional, and adds to the overall richness of a project.



WALL CAPS





STEPS






PILLAR CAPS







mocha



Napa® Curbstone

Napa Curbstone provides a unique border option for walkways, flowerbeds and driveways.












coastal tan

granite



$EdgeStone^{^{^{\text{\tiny TM}}}}$

Achieve the look of Belgian block with this more durable alternative to wood edging or plastic edge restraints. Features a chiseled-look face.











Color swatches are for reference. Please refer to actual samples for proper color matching.





What better way to enjoy your outdoor living area than to gather around a beautiful fire pit with friends and family? Cool summer evenings can be savored longer with this inviting, warm retreat.



coastal tan



fieldstone



granite



mesquite

COPING COLORS



charcoal



mocha

ASHLAND[™] **PIT**



20 ½"H x 48 ½" Dia



Optional steel insert (works with or without coping)



Optional 4-piece radius coping 50 x 29½

STONELEDGE™ PIT



17 ½"H x 50" Dia



Optional steel insert (works with or without coping)



4-piece radius coping 54½ x 29½

YORKSHIRE™ RECTANGLE PIT



16 ½"H x 46x44x16"



20 1/2"H x 44x44x16"

YORKSHIRE™ SQUARE PIT



Optional rectangle steel insert 35½ x 23½ x 9



Optional square steel insert 27¾ x27¾ x 9¾

IMPORTANT NOTE:

Burning large items or trash in fire pits may cause damage to block units. Our fire features are designed strictly for small campfires.

NewLine Hardscapes is not responsible for any damage to the fire pit or radius coping if it is not installed with a steel insert.

Landscape Lighting



Accent Lights

UPLIGHT SPOT - Solid Brass 110-LMAFSB



Mach, brass w/tempered glass

Spike: PVC slotted stake

Lens: Convex Finish: **Antique Brass** Socket: Bi-Pin GU5.3 Electrical: 12 volt

Wiring: 3' 18/2. SPT-2W UL wire

Std Lamp: 5W LED MR16

UPLIGHT SPOT - Aluminum 110-LMAFBA



Shroud: Machined aluminum Spike: PVC slotted stake

Lens: Convex Finish: Brown Socket: Bi-Pin GU5.3 Electrical: 12 volt

Wiring: 3' 18/2. SPT-2W UL wire

5W LED MR16 Std Lamp:

ADJUSTABLE SPOT - Solid Brass 110-LMAASB



Lens: Convex Finish: Antique Brass Socket: Bi-Pin GU5.3 Electrical: 12 volt

Wiring: 3' 18/2. SPT-2W UL wire

Std Lamp: 5W LED MR16

Wash Lights

WASH LIGHT Large 110-LMLWWLSAB



Mach. brass w/tempered glass Shroud:

Spike: PVC slotted stake Frosted glass Lens: **Antique Brass** Finish: Bi-Pin GU5.3 Socket: Electrical: 12 volt

3' 18/2, SPT-2W UL wire Wiring: Std Lamp: 4522: 5W LED MR16

9131: G4 MAX 5W

WASH LIGHT Small 110-LMLWWMSAB



Mach. brass w/tempered glass Shroud:

PVC slotted stake Spike: Frosted glass Lens: Antique Brass Finish: Bi-Pin GU5.3 Socket: Electrical: 12 volt

Wiring: 3' 18/2, SPT-2W UL wire Std Lamp: 4522: 5W LED MR16

9131: G4 MAX 5W

Specialty Lights

WALL / STAIR / RAIL LIGHT- Brass 110-LMHLSB



Housing: **Brass**

Finish: Antique Brass Power: 4 Watts 2700°K Color Temp: Lens: Clear

Stainless steel bracket Mounting: Wiring: 3' 18/2. SPT-2W UL wire

WALL / STAIR / RAIL LIGHT- Aluminum



Housing: Aluminum Power:

4 Watts Color Temp: 2700°K Clear Lens:

Mounting: Stainless steel bracket Wiring: 3' 18/2, SPT-2W UL wire

110-LMHLBA 110-LMHLBLA Brown

110-LMHLGA Gray

Finish:

Black, brown, gray

Specialty Lights

TIKI LAMP - Solid Brass 110-LMTTLSB



Housing: Heavy-duty solid brass

Antique Brass Finish: Electrical: 12 volt

3' 18/2. SPT-2W UL wire Wiring:

Std Lamp: G4 MAX 5W

IN-GROUND PATH - Brass 110-LMINALSBL



Housing: Heavy-duty brass shroud Finish: **Antique Brass**

Clear Lens: Electrical: 12 volt

Wiring: 3' 18/2, SPT-2W UL wire

Std Lamp: 5W LED MR16

LM5WL30D - 5 watt Lamp, 30 degree



Beam angle: 30-degrees Power Consumption: 5 watts Electrical: AC/DC 12 volt

Lumens: 315 **CCT**: 2700K

LM3WL - 3 Watt Lamp, G4



Beam angle:360* Power Consum.: 3 watts Electrical: AC/DC 12 volt

Lumens: 260-290 CCT: 2700K



Specialty Equipment



LMW250 -12/2 LV Wire, 250'

LMW500 -12/2 LV Wire, 500'



LMMT -**Mechanical Timer** LMPC -**Photo Cell**







Transformers

75 WATTS



110-LMTRANS75SS

150 WATTS



110-LMTRANS150SS

300 WATTS



110-LMTRANS300SS



Pathway Fixtures

CHINA CAP STYLE - Brass



Heavy-duty solid brass Housing:

Finish: **Antique Brass**

Spike: PVC slotted stake

Electrical: 12 volt

Wiring: 3' 18/2, SPT-2W UL

Std Lamp: G4 MAX 5W 110-LMPLCSB

CHINA CAP STYLE - Aluminum



Housing: Heavy-duty aluminum

Finish: Brown

Electrical: **PVC** slotted stake

Spike: 12 volt

Wiring: 3' 18/2, SPT-2W UL

110-LMPLCBA Std Lamp: G4 MAX 5W

PATHLIGHT - Brass



Heavy-duty solid brass Housing:

Finish: **Antique Brass**

Spike: PVC slotted stake

Electrical: 12 volt

Wiring: 3' 18/2, SPT-2W UL

110-LMPLSB Std Lamp: G4 MAX 5W

PATHLIGHT DOME - Aluminum



Heavy-duty aluminum Housing:

Finish: Brown

Spike: PVC slotted stake

Electrical: 12 volt

Wiring: 3' 18/2, SPT-2W UL

110-LMPLDBA Std Lamp: G4 MAX 5W

Installation Accessories



Polymeric Sand Polymeric Stone Dust Nails **Edging** Polyurethane Adhesive XP Concrete Adhesive HP Base Sealers & Cleaners Landscape Fabric Geo-Grid













GATOR NITRO SAND



Gator Nitro Joint Sand is a ready-to-use mixture of calibrated sand and resins which cure when exposed to air, hardening from top to bottom of the joint. The product can be installed in wet or dry weather, in joints ranging from a minimum 3/16" (5 mm) to a maximum 2" (50 mm) joint width. The minimum joint depth is 1" (25 mm).


- 25% More strength
- 25% Faster setting time

GATOR XTREME EDGE



Gator XTreme Edge is the ultimate fiber-reinforced and polymer-modified structural edge, which creates a strong and economical edging solution for any hardscape project.

Gator XTreme Edge can be used on any traditional, permeable, Gator Base, or overlay application using concrete pavers and slabs or natural and wet cast stones. Gator XTreme Edge offers permanent continuous lateral support.



Paver Specifications

Product	Shape	Width (in.)	Length (in.)	Height (in.)	Thickness (mm)	SF/Pallet	Pcs/Pallet	Wgt/Pallet (lbs.)	
Veranda (Bundled)	4x8	4	8	2 3/8			80		
	8x8	8	8	2 3/8	60	103	80	2,971	
	8x12	8	12	2 3/8			80		
Veranda XL (Bundled)	8x16	8	16	2 3/8			20	2,971	
	16x16	16	16	2 3/8	60	103	20		
	16x24	16	24	2 3/8			20		
Chateau	4x8	4	8	2 3/8		103	80	2,881	
·	8x8	8	8	2 3/8	60		80		
(Bundled)	8x12	8	12	2 3/8			80		
Chateau XL	8x16	8	16	2 3/8			20	2,881	
	16x16	16	16	2 3/8	60	103	20		
(Bundled)	16x24	16	24	2 3/8			20		

Product	Shape	Width (in.)	Length (in.)	Height (in.)	Thickness (mm)	Pcs/SF	Layers/ Pallet	SF/ Pallet	Pcs/ Pallet	Wgt/Pallet (lbs.)
Village Cobble	6x6	6	6	2 3/8	60	3.62	10	116	420	3,035
Village Cobble	6x9	6	9	2 3/8	60	2.42	10	124	300	3,306
Village Cobble	9x9	9	9	2 3/8	60	1.62	9	111	180	3,040
Provence Cobble	6x6	6	6	2 3/8	60	3.62	10	116	420	3,159
Provence Cobble	6x9	6	9	2 3/8	60	2.42	10	124	300	3,370
Holland Stone	4x8	4	8	2 3/8	60	4.5	10	120	540	3,014
Coping	6x12	6	12	2 3/8	60	2	4	104	208	2,680
Breton (Bundled)	4x8	4	8	3 1/8	80				64	
Breton (Bundled)	8x8	8	8	3 1/8	80			86	64	3,074
Breton (Bundled)	8x12	8	12	3 1/8	80				64	
Westminster	6x9	6	9	3 1/8	80	2.42	7	86	210	2,926
Turfstone	6x12	6	12	2 3/8	60	2	4	104	208	2,680

Porcelain Tile Specifications

Product	Shape	\A/idth (in)	Width (in) Length (in)	Hoight (in)	Thickness	SF/Box	SF/Pallet	Dec/Dov	Boxes/	Wgt/Pallet
Product	Snape	wid(ii (iii)		neight (iii)	(mm)	3F/BUX	3F/Fallet	PCS/BUX	Pallet	(lbs.)
Bluestone/Flagstone	12x12	12	12	3/4	20	4.84	145	5	30	1,428
Bluestone/Flagstone	12x24	12	24	3/4	20	7.75	124	4	32	2,401
Bluestone/Flagstone	24x24	24	24	3/4	20	7.75	233	2	30	2,259
18x36 Tile	18x36	18	36	3/4	20	8.72	235	2	27	2,278
24x24 Tile	24x24	24	24	3/4	20	7.75	233	2	30	2,259
Plank	12x28	12	48	3/4	20	7.75	279	2	36	2,693

Rosetta Specifications

	3 3 3 6 6 6		N/A N/A N/A N/A N/A 6 12 18 6 12 18	18 18 18 18 27	4 6 4 4 72	4,000 4,000 4,000 4,000 2,475
Pallet C Corner Pallet oc system; all on oc Small Unit Medium Unit Large Unit Small Unit Medium Unit Large Unit Corner Unit Corner Unit oc system; all on oc	N/A N/A one pallet. 3 3 3 6 6 6 6 n one pallet.	N/A N/A 9 9 9 9 9	N/A N/A 6 12 18 6 12	18 18	4	4,000 4,000
Corner Pallet oc system; all on oc Small Unit Medium Unit Large Unit Small Unit Medium Unit Large Unit oc. system; both oc Corner Unit oc system; all on oc	N/A one pallet. 3 3 3 6 6 6 6 on one pallet.	N/A 9 9 9 9 9 9	N/A 6 12 18 6 12	18	4	4,000
Small Unit Medium Unit Large Unit Small Unit Medium Unit Large Unit Medium Unit Large Unit Corner Unit Corner Unit Cor system; all on o	one pallet. 3 3 3 6 6 6 6 on one pallet.	9 9 9 9 9	6 12 18 6		-	
Small Unit Medium Unit Large Unit Small Unit Medium Unit Large Unit oc. system; both of Corner Unit corner Unit oc system; all on of	3 3 6 6 6 6 n one pallet	9 9 9 9 9	12 18 6 12	27	72	2,475
Medium Unit Large Unit Small Unit Medium Unit Large Unit oc. system; both of Corner Unit Corner Unit oc system; all on of	3 6 6 6 6 n one pallet	9 9 9 9 9	12 18 6 12			
Large Unit Small Unit Medium Unit Large Unit oc. system; both o Corner Unit Corner Unit oc system; all on o	3 6 6 6 n one pallet. 3	9 9 9 9	18 6 12			
Small Unit Medium Unit Large Unit oc. system; both o Corner Unit Corner Unit oc system; all on o	6 6 6 n one pallet	9 9 9	6 12			
Medium Unit Large Unit oc. system; both o Corner Unit Corner Unit oc system; all on o	6 6 In one pallet	9 9	12			
Large Unit oc. system; both o Corner Unit Corner Unit oc system; all on o	6 n one pallet 3	9				
Corner Unit Corner Unit Corner Unit Coc system; all on co	n one pallet		18			
Corner Unit Corner Unit oc system; all on c	3			ı		
Corner Unit				24	32	1,520
oc system; all on o	6	9	15			
	-	9	15			
	ne pallet.			21	18	2,400
nall Unit	6	10½	12			
edium Unit	6	10½	21			
rge Unit	6	10½	30			
tra Large Unit	6	10½	42			
Corner Unit	6	10½	21	31½	24	2,400
raight Unit	4	8	12	25	75	2,100
edge Unit	4	8	12 / 7.5	33	100	2,000
different units; all o	on one pallet	t.		66	72	1,550
-Long Unit	21/4	10¼	6			
"-Long Unit	21/4	10¼	12			
"-Long Unit	21/4	10¼	18			
"-Long Unit (L)	21/4	10¼	18			
"-Long Unit (R)	21/4	10¼	18			
lumn Cap	21/2	27	27	N/A	6	954
rmal Cap	3	30	30	N/A	6	1,434
different units; all o	on one pallet	t.		63	36	1,950
ort Coping	21/2	12½	18		12	
ng Coping Unit	21/2	12½	24		18	
nished-End Coping	21/2	12½	19		6	
lumn Cap	2½	24	24	N/A	6	768
6 shapes on one	pallet:					
•				98	48	2,350
, ,	. ,	er			-	,
ed rectification of the state o	all Unit dium Unit dium Unit de Unit d	dium Unit Ge Unit G	All Unit 6 10½ Jium Unit 4 8 Jium Unit 4 8 Jium Unit 4 8 Jium Unit 4 10¼ Jium Unit 2¼ 10¼ Jium Unit 2¼ 10¼ Jium Unit 2¼ 10¼ Jium Unit 2¼ 10¼ Jium Cap 2½ 27 Jium Cap 3 30 Jium Cap 4 30 Jium C	All Unit 6 10½ 12 Jam Unit 6 10½ 21 Jam Unit 6 10½ 30 Ja Large Unit 6 10½ 42 Jam Unit 6 10½ 42 Jam Unit 6 10½ 21 Jam Unit 7 10¾ 6 Jam Unit 8 10¾ 10¾ 12 Jam Unit 9 10¾ 10¾ 18 Jam Unit 9 10¾ 10¾ 10¾ 18 Jam Unit 9 10¾ 10¾ 10¾ 10¾ 10¾ 10¾ 10¾ 10¾ 10¾ 10¾	All Unit 6 10½ 12 12 13 14 10 14 15 10 14 15 10 16 10	All Unit 6 10½ 12 12 13 14 15 16 16 10½ 21 15 16 16 16 10½ 21 15 16 16 10½ 30 15 16 16 10½ 42 15 16 16 10½ 42 15 16 16 10½ 42 16 16 10½ 42 16 16 10½ 42 16 16 10½ 42 16 16 10½ 42 16 16 10½ 42 16 16 10½ 42 16 16 10½ 44 16 16 16 16 16 16 16 16 16 16 16 16 16

Rosetta specifications continued on next page.

Rosetta Specifications, con't.

Product	Shapes	SF/LF Pallet	Pcs/Pallet	Wgt/Pallet (lbs.)
Grand Flagstone	Random shapes, all 1¾" thick: 4 different 4-piece patterns 2 layers each pattern per pallet 8 layers/pallet, 11¼ sf per layer	90	30	2,160
Irregular Steps	(2x each of 3 shapes)	18	6	3,300
	7"H x 2'D x 5'L - 600 lbs. ea.			
	7"H x 2'4"D x 4'L - 567 lbs. ea.			
	7"H x 2'2"D x 3½'L - 476 lbs. ea.			

Product	Height (in)	Outside Dia. (in)	Inside Dia. (in)	Pcs/Pallet	Wgt/ Pallet (lbs.)
Dimensional Square Pit	12	44 x 44	N/A	48	1,109
Belvedere Round Pit	14½	58	37	52	1,200

Product	Height (in)	SF/Pallet	Pcs/Pallet	Wgt/ Pallet (lbs.)
Superior Steppers	2	52	16	1,300

[•] Unit dimensions vary by shape; roughly 27" x 21"



^{• 2}x each or 8 different shapes

Wall Specifications

Product	Shapes	Height (in)	Depth (in)	Length (in)	SF/LF Pallet	Pcs/Pallet	Wgt/ Pallet (lbs.)
Ashland	Wedge	4	8	9	36	144	2,768
Yorkshire	Straight	4	12	8	30	90	2,588
Stonegate 3"	3-Piece System (but	ndled)			34	144	3,264
	3" Small Unit	3	10	6		48	
	3" Medium Unit	3	10	11		48	
	3" Large Unit	3	10	17		48	
Stonegate 6"	3-Piece System (bui	ndled)			34	72	3,300
	6" Small Unit	6	10	6		24	
	6" Medium Unit	6	10	11		24	
	6" Large Unit	6	10	17		24	
	Square Cap	3	12	12	54	54	2,057
Stonegate Cont. 3"	3-Piece System (bur	ndled)	l	'	34	144	3,264
	3" Small Unit	3	10	6		48	
	3" Medium Unit	3	10	11		48	
	3" Large Unit	3	10	17		48	
Stonegate Cont. 6"	3-Piece System (bur	ndled)		l .	34	72	3,300
2 13 282 12 1 1	6" Small Unit	6	10	6	_	24	-,
	6" Medium Unit	6	10	11		24	
	6" Large Unit	6	10	17		24	
	3" Square Cap	3	12	12	54	54	2,052
Napa/Sonoma 3"	3-Piece System (but			26	120	2,694	
	3" Small Unit	3	9	6	-	40	,
	3" Medium Unit	3	9	11		40	
	3" Large Unit	3	9	17		40	
Napa/Sonoma 6"	3-Piece System (but				26	60	2,754
Tapar Seriema e	6" Small Unit	6	9	6		20	_,, 5 .
	6" Medium Unit	6	9	11		20	
	6" Large Unit	6	9	17		20	
	Column Unit	6	8	17		48	3,703
	3" Rectangle Cap	3	11½	15	45	36	1,484
StoneLedge 3"	3-Piece System		1172	1.3	30	160	2,694
Storie Leage 3	3" Small Unit	3	10	6	30	40	2,031
	3" Medium Unit	3	10	9		80	
	3" Large Unit	3	10	12		40	
StoneLedge 6"	3-Piece System		10	12	30	60	2,754
JUNELLUGE U	6" Small Unit	6	10	6	30	20	2 , , 3 T
	6" Medium Unit	6	10	12		20	
	6" Large Unit	6	10	18		20	
	Column Unit	6	9	18		40	
	3" Rectangle Cap	3	11½	15	45	36	1,484

Wall specifications continued on next page.

Note: All dimensions shown are nominal.

newlinehardscapes.com 89

Wall Specifications

Product	Shapes	Height (in)	Width (in)	Depth (in)	SF/LF Pallet	Pcs/Pallet	Wgt/Pallet (lbs.)
Regal Stone	6" High Unit	6	17¼	12	34	48	3,696
	6" Step Unit	6	16	12	16	24	2,214
	3" Universal Cap	3	15	13	56¼	45	2,169
Regal Stone Rock Face	6" High Unit	6	16	12	32	48	3,696
	6" Step Unit	6	16	12	16	24	2,214
	3" Universal Cap	3	15	13	56¼	45	2,169
Regal Stone Pro	8" High Unit	8	18	12	48	48	3,750
	8" Corner Unit	8	18	9	24	24	2,406
	3" Universal Cap	3	15	13	56¼	45	2,169
Regal Stone Pro Rock Face	8" High Unit	8	18	12	48	48	3,750
	8" Corner Unit	8	18	9	24	24	2,406
	3" Universal Cap	3	15	13	56¼	45	2,169
Compac	8" High Unit	8	18	12	45	45	3,700
	8" Corner Unit	8	18	9	30	30	3,200
	4" Rectangle Cap	4	18	12	72	48	3,400
Compac Contemporary	8" High Unit	8	18	12	40	40	3,700
	8" Corner Unit	8	18	9	30	30	3,200
	3" Square Cap	3	12	12	54	54	2,057
Cornerstone 100	8" High Unit	8	18	12	40	40	3,300
	8" Corner Unit	8	18	9	30	30	3,200
	4" Rectangle Cap	4	18	12	72	48	3,400

Trim & Finishing Specifications

Product	Shapes	Height (in)	Width (in)	Depth (in)	Wgt/Piece	Pcs/Pallet	Wgt/Pallet (lbs.)
Rock Face Cap	Wall Cap	21/4	48	12	120	12	1,440
Rock Face Cap	End Cap	21/4	51	12	130	12	1,560
Rock Face Step	Landscape Step	6	48	16	420	10	4,200
Rock Face Step	Landscape Step	6	72	16	616	6	3,696
Rock Face Tread	Step Tread	21/4	51	12	130	12	1,560
Rock Face Cap	30" Flat Column Cap	2	30	30	155	12	1,860
Rock Face Cap	28" Flat Column Cap	2	28	28	143	12	1,716
Rock Face Cap	30" Light-Top Cap	4	30	30	240	6	1,440
Rock Face Cap	28" Light-Top Cap	4	28	28	210	6	1,260
Napa Curbstone	Napa Curbstone	8	8	3	140	210	2,784
EdgeStone	EdgeStone	6	12	4	120	120	2,550

Fire Pit Specifications

Product	Туре	Height (in)	Outside Dia (in)	Inside Dia (in)	Pcs/Pallet	Wgt/Pallet (lbs.)
Ashland	Round Pit	201/2	481/2	32½	85	1,685
Ashland	4-piece Coping		50	29½	4	240
Ashland	Round Steel Insert			28	1	35
StoneLedge	Round Pit	17½	50	30	102	1,740
StoneLedge	4-piece Coping		54½	29½	4	400
StoneLedge	Round Steel Insert			28	1	35
Yorkshire	Rectangle Pit	16½	56 x 44 x 16	36 x 24	65	1,885
Yorkshire	Square Pit	201/2	44 x 44 x 16	28¼ x 28¼	50	1,142
Yorkshire	Rectangle Steel Insert		35½ x 23½ x 9		1	100
Yorkshire	Square Steel Insert		27¾ x27¾ x 9¾		1	75

Hardscape Lifetime Transferable Warranty

NewLine Hardscapes backs our manufactured paver and wall products with a lifetime transferable warranty, guaranteeing our products against manufacturing defects. This warranty is for residential construction only and is applicable where products have been correctly installed to meet industry specifications. Color variances and the appearance of efflorescence do not constitute a warranty claim. Any defective products will be replaced; however, replacement labor and transportation costs are not included in this warranty. All warranty claims must be made prior to the removal or disposal of the defective product. We will honor this transferable warranty with a proof of purchase (invoice or delivery ticket).

The foregoing warranty is exclusive and in lieu of all other express or implied warranties of any kind. Furthermore, NewLine disclaims all implied warranties of merchantability as well as all implied warranties of fitness for a particular purpose. NewLine shall not be liable for any consequential damages or incidental damages arising from any warranty claim made against it.

NOTE: This warranty does not apply to any breakage, chipping or other deterioration that was caused by improper design or installation which does not comply with applicable codes, the ICPI, NCMA and recognized work procedures. Please visit www.icpi.org or www.ncma. org for more information on installation specifications. This warranty does not apply to any damage resulting from a natural disaster or from a deliberate and/or negligent act on the part of the purchaser, owner of the building, installer or any third party.

Care Information

Color

The natural materials that we use in our paving stones and retaining wall products deliver a range of colors that closely match color samples in catalogs, spec books, color swatch books, and online photos. However, NewLine cannot guarantee exact color matching. Our pavers and walls can vary slightly in color depending on environmental conditions. Therefore, colors shown are approximate representations of standard colors and shouldn't be expected to be an exact match. Final color selections should be made at your local dealer from stock product or displays. NewLine always recommends immediately verifying the product and color upon receipt. If there are any discrepancies, contact your local dealer before continuing your project. Installation of the product constitutes its acceptance. Proper installation enhances the overall color of pavement. Units should be randomly picked from at least two pallets when installing. This creates a subtle blending of color.

Efflorescence

Our warranty does not apply to efflorescence. Efflorescence is a whitish, powderlike deposit that can appear on the surface of concrete pavers. When cement hydrates, calcium hydroxide is formed. A reaction occurs between the calcium hydroxide and carbon dioxide (from the air) to form water-insoluble calcium carbonate, which is then called efflorescence. Efflorescence does not have an effect on the structural performance or durability of the concrete payers. NewLine includes admixtures in their concrete pavers to help minimize efflorescence, but efflorescence is a natural occurrence in all concrete products. NewLine does not warrant concrete pavers and/or walls that it manufactures against the appearance of efflorescence. Efflorescence may appear immediately or within months following installation. It may remain for months or some of it may wear away. Deposits may be removed from the concrete paver surface by using proprietary efflorescence-removers. Before applying any chemicals to remove deposits, please consult your local dealer for efflorescence removal chemicals.

Polymeric Haze

Polymeric haze from the use of polymeric joint sand may appear on your concrete products if the sand was not removed from the surface of the paver properly. This does not affect the integrity of the product or your installation. The hazing will weather away naturally with time and rain. It can be removed with a specialized cleaner; you are advised to contact your contractor or the polymeric sand company for advice on recommendations. NewLine accepts no responsibility or liability for this occurrence.

Construction Residue

A by-product of cutting with a saw is residue-filled water or concrete dust. Residue-filled water or re-hydrated dust can cling to the surface and leave a concrete stain. It is recommended to wash and remove the water or concrete dust from the surface of the pavers before it dries. Construction residue can also happen through soil disturbance or environmental elements. These contaminants should be removed immediately but do not affect the integrity of the product or your installation. NewLine accepts no responsibility or liability for these occurrences.

Compactor and Snow Removal

NewLine pavers with textured surfaces have high and low points on the surface that give them more of an aesthetic appeal. However, pavers with textured surfaces are susceptible to surface scuffing when they are compacted into place. Therefore, these types of pavers should always be compacted with plate compactors that incorporate a protective mat or other medium between the plate compactor and the surface of the NewLine pavers. This system will help ensure that paver surface scuffing is kept to a minimum. These protective mediums include: rubber matting, thin carpet or cardboard. Manufacturers of plate compactors are able to recommend other products that also can be used for this purpose. For further information on paver details, technical information and recommended construction practices, visit ICPI at www.icpi.org.

A plate compactor should not be used on our Porcelain Tile, Veranda/Chateau XL, and Rosetta Flagstone pavers. Also, snow removal equipment should have the proper spacing, bumpers, and rubber blade guards to protect the surface of the pavers. NewLine will not be held responsible for damage caused by the misuse of compaction or snow removal equipment which leaves scuff marks or burns on pavers.

